


Note that the procedure below applies to non-injury related illness and all other return to play guidelines specific to injuries still apply.

SECTION 7

Recommended Return to Hockey Procedures


The following are recommended guidelines for team staff, parents and guardians for participants who are sick or showing symptoms of COVID-19. It is important to remember that public health authority guidelines and advice from physicians must be followed in any situation where a participant is sick.

PARTICIPANT FEELS ILL AT THE FACILITY/ACTIVITY




Note that the procedure below applies to non-injury related illness and all other return to play guidelines specific to injuries still apply.

**PARTICIPANT ADVISES TEAM STAFF
THEY ARE NOT FEELING WELL
AND WILL NOT BE ATTENDING**



**PARTICIPANT ADVISES
THEY HAVE SYMPTOMS OF COVID-19
AND WILL NOT BE ATTENDING**



COVID-19 affects different people in different ways. Most infected people will develop mild to moderate illness and recover without hospitalization.

Most common symptoms:

- Fever
- Dry cough
- Shortness of breath

Less common symptoms:

- Runny nose
- Aches and pains
- Sore throat
- Diarrhea
- Conjunctivitis
- Headache
- Loss of taste and/or smell
- Skin rash, or discolouration of fingers and toes

Serious symptoms:

- Difficulty breathing
- Chest pain or pressure
- Loss of speech or movement

Seek immediate medical attention if you have serious symptoms. Always call before visiting your physician or health facility.

On average, it takes 5-6 days from infection for symptoms to show, but it can take up to 14 days.